

SUBDIVISION BACKBONE COVER LETTER

Dear Applicant:

Thank you for contacting Inland Power and Light and inquiring about a new subdivision backbone. We have provided the following checklist to assist you in providing the correct documentation required to process your application. Additional information can be found in Inland Power's Electric Service Handbook at www.inlandpower.com.

1.	\$500.00 Non-refundable Engineering Fee We accept cash, check or money order.
2.	Completed Subdivision Request for Backbone Application/4 or more lots Enclosed in packet.
3.	Copy of one of the following legal descriptions: Recorded Warranty Deed Schedule A of Final Title Insurance Policy Quit Claim Deed Please attach to the enclosed easement; this will be used as Exhibit A.
4.	Notarized Easement

Corporate Easement for Washington enclosed in packet. Additional easements are available at www.inlandpower.com or call (509) 252-4564. All legal property owners must sign this document exactly as it appears on the property deed. IPL has a Notary available. Any third party easements are the responsibility of the applicant to obtain and submit to Inland Power and Light. Inland Power will assist in the process of providing a blank easement for signature; however it is the applicant's responsibility to work with land owners. All easements will be recorded by Inland Power and Light.

5.	Plat of Project
	☐ Electronic (Auto-CAD format required, email to craign@inlandpower.com)
	□ Paper
	☐ Easement area depicted on plat map along with easement dedication language



APPLICATION FEE: \$500.00

Please submit with this form an Electronic CAD file of your preliminary plat. CAD file can be emailed to craign@inlandpower.com

Member Information	* ALL FIEL	DS ARE REQUIR	ED	Office use only
* Applicant/Owner Name	WO#:			
* Development Name (if	applicable)			
* Mailing Address:				
* Phone Numbers Work		Cell	* Email: _	
*Contractor:		*	Contractor Phone#: _	
Excavator's Name:			Phone:	
Engineering Co.:			Phone:	
Site Information				
* Site Address:		* City/State/Zi	0:	* County:
*Nearest Intersection:			* Parcel:	
* IPL Pole Number (3" metal r	numbers/letters): .		*Number of lots/parcel s	ize:
Service Requested				
☐ Backbone ☐ Backbone v	w/ transformer	☐ Line extension	in excess of one mile	Natural Gas ☐ Yes ☐ No
in our office. (Revisions made • Quoted fees are good for nine	um of eight weeks to original design waty (90) days unless red easements will as Inland may need had developer, excar	o process a design an ill incur additional fee the initial design of the be received by Inland to order material for vator and Inland Powe	es.) he job changes. d Power before installation of your specific job, which care is required before electric	facilities are installed.
I have read the above information of electric facilities on the about	tion and wish to re ove referenced pro	equest that Inland F operty.	Power proceed to design a	and invoice me for the installation
Developer	Date	Auth	orized Representative	Date
		For office use	e only	
Location:				WHS
IPL#		•		·
Engineer:		Арј	pointment Date:	



Developer's Agreement

Р	U	R	P	0	S	Е

This document is an agreement between Inland Po	ower & Light ("IPL") and the owner/representative and/or developer
("developer")	who is providing excavation for the installation of IPL's facilities.
This document does not provide an easement for o	perating rights. If IPL determines that a recordable easement on the
developer's property, or other property, is necessary,	it shall be the developer's responsibility to obtain such easement in a
form acceptable to IPL prior to construction.	

EXCAVATION REQUIREMENTS

The requirements and conditions outlined below apply when you provide the excavation for IPL's electrical facilities as a condition of receiving electrical service for your project. If you need additional information, please call the IPL contact person listed below.

- 1. Developer is responsible for acquiring utility located by calling One Call (811) at least 48 hours (two full work days) prior to digging. The excavation must meet the requirements of the Washington Administrative Code and Safety Standards.
- 2. Developer shall call the IPL contact person noted below for trench and route approval prior to starting excavation.
- 3. The electrical primary trench shall be excavated to provide a minimum of 36 inches of facility coverage, to a maximum trench depth of 42 inches. The electric service trench shall be excavated to provide a minimum of 36 inches of facility coverage. A 12 inch horizontal separation is required between IPL electrical facilities and other utilities within a joint trench. *See SPEC for Member Supplied Trench.
- 4. All backfill must be free of sharp objects and construction debris. Developer shall provide and install bedding and shading material for electrical facility protection as directed by IPL's line extension standards. Developer is responsible for any damages caused by improper backfill or compaction.
- 5. Developer agrees to maintain a minimum of 10 feet of clearance between the electrical trench and buildings or other improvements on developer's property, as required by IPL's line extension standards.
- 6. Developer shall provide the excavation for IPL's electrical facilities within the designated easements. Developers shall provide final grade and staking of property lines and setbacks prior to installation of IPL's electrical facilities.
- 7. Developer will be financially responsible for the relocation of IPL's electrical facilities, which are inadequately covered, and/or any damages resulting from dig-ins due to changes or variations in grade that are made after the installation of IPL's electrical facilities.
- 8. Parcel corner stakes with 20' or 30' offsets. Finished grade elevations.

FINAL GRADE CERTIFICATION

By signing below, I certify that the electrical facilities work area shall be at final grade prior to excavation. I assume full responsibility for my excavation work and the resulting location of these facilities. I also agree to indemnify, defend, and hold harmless Inland Power and Light from all liability arising out of, or in connection with my work, including, but not limited to, all claims, losses, damages and expenses, including reasonable attorney's fees, which result from my failure to excavate within easement areas or right-of-ways, or from digging without adequate rights on adjoining properties.

9. Road crossing PVC Provided by DEVELOPER. 4" gray SCH. 40 PVC at locations provided by IPL Design.

Date:	
Owner/Developer	Signature:
Project Address:	
IPL Contact Person	IPL Work Order:



Developer Area Lighting and Irrigation Accounts

DESIGN AND INSTALLATION

Dear Developer,

Inland Power and Light is pleased to be your electric service provider. In addition to serving your electric needs, Inland also offers a street lighting program that will add security and value to future homeowners.

The construction phase of your development is the ideal time to install area lighting as your excavator and our crews are already on-site with materials and equipment. Our engineering staff can include a proposal for area lighting with your line extension design based on provided light locations.

Once lighting or irrigation accounts are installed in a development, the homeowners association/developer will be responsible for all monthly charges for area lighting and irrigation accounts.

Thank you for your consideration. We look forward to sharing in your continued success.

I wish to have a proposal prepared for area lighting in my development. I understand that if I choose to install area lighting or irrigation services in my development all monthly charges will be paid by a homeowners association/developer. A copy of the homeowners association charter establishing responsibility for these monthly charges will be provided to Inland Power & Light.

IPL Work Order:			
Name of Development:		Phase:	
Will this phase have a different homeowners association charter?	□ Yes	□ No	
Developer/Authorized General Contractor Signature			



Dedicated Easement Language for Plats

Please include the following language on your final plat along with the map designating the location of the utilities easements (10' on each side of a road if facilities will be located on both sides of road and 20' between parcels or lots).

Utility easements shown on the herein described plat are hereby dedicated for the use of serving utility companies for the construction, reconstruction, maintenance, protection, inspection and operation of their respective facilities, together with the right to prohibit changes in grade that will reduce the existing coverage over installed underground facilities and the right to trim and/or remove trees, bushes, landscaping and to prohibit structures that may interfere with the construction, reconstruction, reliability, maintenance and safe operation of same.



RFVIFW

SUBDIVISION BACKBONE APPLICATION

Developers Review for Pre-Construction Meeting

	CAD file of preliminary plat.
	Pre-design meeting or site visit with Inland Power field engineer is required.
	Allow a minimum of eight weeks for Inland to process design and invoice.
	Inland will honor fees quoted for ninety (90) days from date of invoice unless original design changes.
	Easement and dedicated easement language will be approved by Inland and recorded on final plat or a blanket easement will be required.
	Line extension fees and required easements and membership will be received in Inland's office before scheduling installation of facilities. Allow plenty of notice for Inland to order materials that may be required for your specific job.
	A pre-construction meeting with developer, excavator and Inland will be required before Inland installs facilities.
ADD	ITIONAL DISCUSSION TOPICS FOR PRE-CONSTRUCTION MEETING Road crossings 4" PVC Grey Schedule 40 - quantity and location based on IPL design. Run separate conduit for other utilities. Contractor to supply conduit.
	Transformer set - depending on area - sand or small gravel.
	Ditch depths (42" primary; 36" secondary) - consult electric service handbook on Inland's website to determine if bedding is required.

- Developer staking requirements:
 - 1) stake property corners
 - 2) stake side property lines 20' and 30' offset from front property corners
 - 3) stake location for area lighting
 - 4) finished grade elevations
- ☐ Curbs set backs primary and secondary units when will curbs/sidewalks be in?
- Sharing ditch w/ other utilities electric facilities go in first install separate conduit when needed allow distance between utilities.
- Backfill careful of stub up.
- ☐ Scheduling How soon will they be ready?
- ☐ Map showing actual street address assigned by County or Post Office.
- Area lighting confirm type.
- Name of homeowner association for area lighting and pump station billing.